

Pockets of “Youthfulness” in an Aging Denomination

Comparison of Membership and General Population Death Rates within
United Methodist Annual Conferences
2009



Lewis Center for Church Leadership
Wesley Theological Seminary
Washington, DC

lewiscenter@wesleyseminary.edu
202-885-8757



Lewis Center
for Church Leadership

Pockets of “Youthfulness” in an Aging Denomination
by Lovett H. Weems, Jr.

The aging membership of mainline denominations has been a continuing concern for many years and for good reason. In the 1960s, when these denominations were growing, their membership was younger than the general U.S. population. But it appears that since at least the 1970s, the trend has been toward serving a membership older than the general population.

Since denominations do not track the ages of all their members, it is impossible to make an accurate comparison between the age of a denomination’s membership and the age of the general population. There are, however, clues that indicate a denomination’s membership may be getting older. Some representative samples and surveys have demonstrated a general aging trend, and experience and perceptions also give rise to the concern. People look around at many congregations and church gatherings and notice the stark absence of younger people.

The Lewis Center for Church Leadership of Wesley Theological Seminary has researched age trends in the United Methodist Church in the United States by examining one key indicator -- *death rates*. At first, it may seem peculiar to focus on death rates. But the discussion that follows will indicate both the rationale for this approach and significant insights and implications for the church. For example, reviewing death rate comparisons within regional units known as “annual conferences” reveals a mixed pattern across the denomination. There are areas of relative “youthfulness” within a denomination that is aging overall.

Methodology

The Lewis Center set out to compare the death rates of each annual conference with the death rates of those 15 and older for the geographic area served by the annual conference. (This age adjustment makes the figures more comparable with church death rates, since church membership generally begins around age 15.) The death rates, while not exact indicators of age, do help show *patterns* that should correspond generally to age. This is because 75 percent of deaths in recent years occurred among people aged 65 and older. Acknowledging that the connection between death rates and aging is not perfect, it does show some significant patterns across the United States.

For the annual conferences, death rates (deaths per 1,000 people) are based on the ratio of reported deaths to reported membership each year. The figures are calculated from data provided by the General Council on Finance and Administration of the United Methodist Church. (More detailed information about methodology can be found below.)

Findings

The findings point to a mixed pattern of age trends across the denomination, including areas of relative “youthfulness” within a denomination that is generally aging. Several exceptions to the general pattern of aging are noteworthy.

- **Three conferences report death rates that are 30 percent or more *lower* than the general population in their areas.** These conferences are the Alaska Missionary, North Georgia, and Oklahoma Conferences. They represent 7 percent of 2007 membership in the United Methodist Church in the U.S. (UMC) and 6 percent of attendance. These conferences stand out because of the relative “youthfulness” of their members based on death rates compared to other conferences.
- **Six conferences report death rates from 19 percent to 8 percent lower than their general population.** These conferences are the Central Texas, North Texas, Louisiana, Mississippi, Rio Grande, and Alabama-West Florida Conferences. They represent 10 percent of 2007 UMC membership and 9 percent of attendance. These six conferences can be thought of as “younger than expected.”
- **Five conferences report death rates that generally match those of their general populations.** In the Kentucky, Missouri, New York, Tennessee, and Texas Conferences, death rates fall within 5 percent of the state rates (from 5 percent below to 5 percent above). These conferences represent 11 percent of 2007 UMC membership and 10 percent of attendance.
- **There are also fourteen conferences that appear to be older than the general population, but not by much.** These conferences report death rates at least 6 percent higher than their general population but no more than 19 percent higher. Interestingly, the majority of the conferences in this category are in the Southeastern and Northeastern Jurisdictions with many forming a contiguous corridor from southeast to northeast, much of it found along Interstate Highway 95 from South Georgia to New England. These conferences represent 31 percent of 2007 UMC membership and 30 percent of attendance.

These findings show there is no monolithic picture of an “aging church” across the entire United Methodist Church. Nevertheless, there are significant regions of the United States that confirm the general perception of a church that is much older than the surrounding population. These are the thirty-four conferences reporting death rates 20 percent or higher than their general population. These conferences represent 41 percent of 2007 U.S. membership of the UMC and 45 percent of attendance. All the annual conferences in the Western and North Central Jurisdictions, with the exception of one conference in each jurisdiction, are found in this category. However, such conferences are found in every Jurisdiction.

Looking at death rate comparisons nationally, one can observe some slight improvement in the United Methodist death rates, but they are still much higher than the national average, reflected in the chart below and by the figures above showing that the older areas tend to dominate where United Methodists are.

| Year | US Death Rate 15 & older per 1,000 | US Pop Deaths | UMC Mem in US | UMC Deaths in US | UM Death Rate (DR) per 1,000 | UM DR as % of US DR |
|------|--|------------------|------------------|------------------------|------------------------------------|------------------------|
| 2001 | 11.2 | 2,403,000 | 8,249,579 | 119,890 | 14.53 | 130% |
| 2002 | 10.5 | 2,416,000 | 8,210,220 | 118,246 | 14.40 | 137% |
| 2003 | 10.9 | 2,443,000 | 8,186,274 | 116,009 | 14.17 | 130% |
| 2004 | 10.4 | 2,444,000 | 8,075,010 | 111,500 | 13.81 | 133% |
| 2005 | 10.4 | 2,434,000 | 7,995,429 | 111,235 | 13.91 | 134% |

What Might This Mean?

These findings suggest that reaching people whose age is representative of the general population in one's area is a goal that appears to be well within reach for many annual conferences. Indeed, some conferences have already shown that it can be done. Moreover, these data suggest that it is possible to reach people at least close to the age of the general population in regions where many church indicators have not been particularly encouraging recently—for example, in part of the Northeastern Jurisdiction. Finally, they suggest that it is possible to reach people a bit younger than the general population even where most churches are small if there is a balance within the area of larger, growing churches. This is the case in Mississippi where the median worship attendance is 35.

What are some things that annual conferences can do to seek and maintain a membership that is the same age as the general population or younger?

- Reach new populations, which tend to be younger and more diverse than traditional United Methodist constituents. The younger population of the United States is considerably more diverse racially and ethnically than the older population.
- Help existing congregations increase their worship attendance. The higher the worship attendance of a congregation, the more likely it is to reach younger populations.
- Begin new congregations, which generally reach new populations and younger populations at a higher rate than existing churches.
- Monitor what is happening to mid-size and large congregations as a percentage of annual conference churches. Most annual conferences are doing well at increasing the number of small membership churches, particularly as formerly large churches become small, but a healthy age balance is more likely when there are strong and stable cohorts of churches of all sizes.


Lovett H. Weems, Jr., is distinguished professor of church leadership and director of the Lewis Center for Church Leadership of Wesley Theological Seminary in Washington, DC.

Further details regarding methodology

Since the death rate in any one year may be skewed, a three-year average (2005-2007) was used. These are the most recent years for which figures are available. This three-year average includes two years beyond the 2005 figures used for the death rate of the general population. But since those years have shown a slight reduction in United Methodist death rates, they should not tilt conferences “older.”

The 2005 state figures are used because they are the latest age-adjusted (15 and over) death rates available. Overall population death rates are reported by states. Since annual conference boundaries are not always synonymous with state boundaries, the comparisons are not always exact. When an annual conference is within one state, but does not include the entire state, the death rate for the entire state had to be used. When conferences cross state lines, the death rates for the states were prorated based on the percentage of the conference’s members living in each state. For the Oklahoma Indian Missionary Conference, the general population death rate was calculated using the Native American age-adjusted death rate in Oklahoma. For the Rio Grande Conference, the general population death rate was calculated using the Hispanic age-adjusted death rate in Texas.

Comparison of Membership and General Population Death Rates within United Methodist Annual Conferences



Dark Green Mem. Death Rate (DR) 20% or more lower than Pop. DR

Red Mem. DR 20% or more higher than Pop. DR

Light Green Mem. DR is 6% to 19% lower than Pop. DR

Light Red/Pink Mem. DR 6% to 19% higher than Pop. DR

6

Yellow Mem. DR is within +/- 5% of Pop. DR

Death Rate Statistics by United Methodist Annual Conference

| Annual Conference (AC) | Membership Death Rate per 1,000 within the AC (average of 2005-2007) | Total Population Death Rate (age 15 and over) per 1,000 within Bounds of the AC (2005) | AC Death Rate Lower or Higher than Death Rate of General Population |
|-------------------------------|---|---|--|
| Alabama-West Florida | 11.09 | 11.96 | 8% lower |
| Alaska Missionary | 5.35 | 9.58 | 79% lower |
| Arkansas | 14.40 | 11.96 | 17% higher |
| Baltimore-Washington | 12.75 | 11.96 | 6% higher |
| California-Nevada | 14.20 | 9.42 | 33% higher |
| California-Pacific | 18.26 | 9.22 | 50% higher |
| Central Pennsylvania | 16.45 | 10.50 | 36% higher |
| Central Texas | 9.25 | 10.96 | 19% lower |
| Dakotas | 17.34 | 9.45 | 46% higher |
| Desert Southwest | 20.00 | 10.14 | 49% higher |
| Detroit | 15.59 | 8.09 | 48% higher |
| East Ohio | 15.08 | 11.04 | 27% higher |
| Eastern Pennsylvania | 12.37 | 10.50 | 15% higher |
| Florida | 14.02 | 9.72 | 31% higher |
| Greater New Jersey | 14.84 | 9.83 | 34% higher |
| Holston | 14.21 | 11.96 | 16% higher |
| Illinois Great Rivers | 17.24 | 10.37 | 40% higher |
| Indiana | 17.11 | 11.05 | 35% higher |
| Iowa | 16.09 | 9.79 | 39% higher |
| Kansas East | 15.53 | 10.54 | 32% higher |
| Kansas West | 18.02 | 10.54 | 42% higher |
| Kentucky | 11.90 | 12.45 | 5% lower |
| Louisiana | 11.50 | 13.17 | 14% lower |
| Memphis | 13.68 | 12.41 | 9% higher |
| Minnesota | 15.73 | 9.20 | 42% higher |
| Mississippi | 11.74 | 13.22 | 13% lower |
| Missouri | 15.49 | 16.12 | 4% lower |
| Nebraska | 17.65 | 10.13 | 43% higher |
| New England | 14.22 | 11.96 | 16% higher |
| New Mexico | 16.53 | 10.64 | 36% higher |
| New York | 9.91 | 9.43 | 5% higher |
| North Alabama | 14.01 | 12.92 | 8% higher |
| North Carolina | 12.35 | 11.31 | 8% higher |
| North Central New York | 13.35 | 9.53 | 29% higher |
| North Georgia | 8.32 | 11.64 | 40% lower |
| North Texas | 9.45 | 10.96 | 16% lower |
| Northern Illinois | 12.44 | 10.37 | 17% higher |
| Northwest Texas | 14.12 | 10.96 | 22% higher |
| Oklahoma | 9.76 | 12.81 | 31% lower |
| Oklahoma Indian | 11.95 | 8.23 | 31% higher |
| Oregon-Idaho | 22.56 | 10.07 | 55% higher |
| Pacific Northwest | 16.09 | 9.55 | 41% higher |
| Peninsula-Delaware | 14.42 | 10.41 | 28% higher |
| Red Bird | 16.10 | 12.35 | 23% higher |

| Annual Conference (AC) | Membership Death Rate per 1,000 within the AC (average of 2005-2007) | Total Population Death Rate (age 15 and over) per 1,000 within Bounds of the AC (2005) | AC Death Rate Lower or Higher than Death Rate of General Population |
|-------------------------------|---|---|--|
| Rio Grande | 8.26 | 9.34 | 13% lower |
| Rocky Mountain | 14.84 | 10.04 | 32% higher |
| South Carolina | 13.16 | 11.31 | 14% higher |
| South Georgia | 13.09 | 11.64 | 11% higher |
| Southwest Texas | 12.58 | 10.96 | 13% higher |
| Tennessee | 12.34 | 12.40 | 0% lower |
| Texas | 10.47 | 9.34 | 5% higher |
| Troy | 13.97 | 9.65 | 31% higher |
| Virginia | 12.41 | 10.43 | 16% higher |
| West Michigan | 16.76 | 8.09 | 52% higher |
| West Ohio | 16.47 | 11.04 | 34% higher |
| West Virginia | 19.11 | 12.51 | 35% higher |
| Western New York | 12.81 | 9.53 | 26% higher |
| Western North Carolina | 12.77 | 11.31 | 11% higher |
| Western Pennsylvania | 13.76 | 10.50 | 24% higher |
| Wisconsin | 16.13 | 9.97 | 38% higher |
| Wyoming | 12.93 | 10.09 | 22% higher |
| Yellowstone | 19.93 | 10.48 | 47% higher |

| Detailed Death Rate Figures | | | | | | | | | | | | | |
|-----------------------------|---|-------|-------|--------------------|---|---------------------------|--------------------|---------------------------------------|--|---------------------------------|---------|---|--|
| Annual Conference (AC) | Membership Death Rate per 1,000 within the AC | | | | Total Population Death Rate (ages 15 & older) per 1,000 within Bounds of AC | | | | Comparison of Annual Conference Death Rate and Their General Population Death Rate | | | | |
| | 2005 | 2006 | 2007 | Three-year average | State(s) in AC | Death Rate by States 2005 | % of Mems in State | Prorated Death Rate for Pop within AC | AC Death Rate | Population within AC Death Rate | Differ. | AC DR Lower or Higher Than DR of Their Gen Pop. | |
| Alabama-West Florida | 11.23 | 11.17 | 10.88 | 11.09 | AL | 12.92 | 70 | 11.96 | 11.09 | 11.96 | 0.87 | 8% lower | |
| | | | | | FL | 9.72 | 30 | | | | | | |
| Alaska Missionary | 5.44 | 4.00 | 6.62 | 5.35 | AK | 9.58 | 100 | 9.58 | 5.35 | 9.58 | 4.23 | 79% lower | |
| Arkansas | 15.23 | 13.62 | 14.34 | 14.40 | AR | 11.96 | 100 | 11.96 | 14.40 | 11.96 | -2.44 | 17% higher | |
| Baltimore-Washington | 13.19 | 12.71 | 12.35 | 12.75 | MD | 10.18 | 88 | 11.96 | 12.75 | 11.96 | -0.79 | 6% higher | |
| | | | | | DC | 11.87 | 6 | | | | | | |
| | | | | | WV | 12.51 | 6 | | | | | | |
| California-Nevada | 14.54 | 13.93 | 13.83 | 14.10 | CA | 9.32 | 95 | 9.42 | 14.10 | 9.42 | -4.68 | 33% higher | |
| | | | | | NV | 11.25 | 5 | | | | | | |
| California-Pacific | 17.18 | 18.09 | 19.51 | 18.26 | CA | 9.32 | 93 | 9.22 | 18.26 | 9.22 | -9.04 | 50% higher | |
| | | | | | HI | 7.84 | 7 | | | | | | |
| Central PA | 16.79 | 16.16 | 16.41 | 16.45 | PA | 10.50 | 100 | 10.50 | 16.45 | 10.50 | -5.95 | 36% higher | |
| Central Texas | 9.49 | 8.94 | 9.25 | 9.23 | TX | 10.96 | 100 | 10.96 | 9.23 | 10.96 | 1.73 | 19% lower | |
| Dakotas | 17.90 | 16.80 | 17.33 | 17.34 | ND | 9.31 | 65 | 9.45 | 17.34 | 9.45 | -7.89 | 46% higher | |
| | | | | | SD | 9.70 | 35 | | | | | | |
| Desert Southwest | 19.01 | 20.20 | 20.79 | 20.00 | AZ | 10.02 | 90 | 10.14 | 20.00 | 10.14 | -9.86 | 49% higher | |
| | | | | | NV | 11.25 | 10 | | | | | | |
| Detroit | 15.97 | 15.62 | 15.18 | 15.59 | MI | 8.09 | 100 | 8.09 | 15.59 | 8.09 | -7.50 | 48% higher | |
| East Ohio | 15.65 | 14.88 | 14.70 | 15.08 | OH | 11.04 | 100 | 11.04 | 15.08 | 11.04 | -4.04 | 27% higher | |
| Eastern PA | 13.32 | 11.90 | 11.88 | 12.37 | PA | 10.50 | 100 | 10.50 | 12.37 | 10.50 | -1.87 | 15% higher | |
| Florida | 14.17 | 14.18 | 13.71 | 14.02 | FL | 9.72 | 100 | 9.72 | 14.02 | 9.72 | -4.30 | 31% higher | |
| Greater NJ | 14.73 | 14.71 | 15.08 | 14.84 | NJ | 9.83 | 100 | 9.83 | 14.84 | 9.83 | -5.01 | 34% higher | |
| Holston | 14.30 | 14.77 | 13.55 | 14.21 | TN | 12.40 | 75 | 11.96 | 14.21 | 11.96 | -2.25 | 16% higher | |
| | | | | | VA | 10.43 | 24 | | | | | | |
| | | | | | GA | 11.64 | 1 | | | | | | |
| Illinois Great Rivers | 18.19 | 17.11 | 16.41 | 17.24 | IL | 10.37 | 100 | 10.37 | 17.24 | 10.37 | -6.87 | 40% higher | |
| Indiana | 18.10 | 17.16 | 16.06 | 17.11 | IN | 11.05 | 100 | 11.05 | 17.11 | 11.05 | -6.06 | 35% higher | |
| Iowa | 16.19 | 16.23 | 15.85 | 16.09 | IA | 9.79 | 100 | 9.79 | 16.09 | 9.79 | -6.30 | 39% higher | |
| Kansas East | 15.13 | 15.68 | 15.78 | 15.53 | KS | 10.54 | 100 | 10.54 | 15.53 | 10.54 | -4.99 | 32% higher | |

| Annual Conference (AC) | 2005 | 2006 | 2007 | Three-year average | State(s) in AC | Death Rate by States 2005 | % of Mems in State | Prorated Death Rate for Pop within AC | AC Death Rate | Population within AC Death Rate | Differ. | AC DR Lower or Higher Than DR of Their Gen Pop. |
|------------------------|-------|-------|-------|--------------------|----------------|---------------------------|--------------------|---------------------------------------|---------------|---------------------------------|---------|---|
| Kansas West | 17.99 | 17.89 | 18.19 | 18.02 | KS | 10.54 | 100 | 10.54 | 18.02 | 10.54 | -7.48 | 42% higher |
| Kentucky | 11.91 | 12.07 | 11.73 | 11.90 | KY | 12.45 | 100 | 12.45 | 11.90 | 12.45 | 0.55 | 5% lower |
| Louisiana | 11.75 | 11.39 | 11.37 | 11.50 | LA | 13.17 | 100 | 13.17 | 11.50 | 13.17 | 1.67 | 14% lower |
| Memphis | 13.30 | 14.51 | 13.23 | 13.68 | TN | 12.40 | 84 | 12.41 | 13.68 | 12.41 | -1.27 | 9% higher |
| | | | | | KY | 12.45 | 16 | | | | | |
| Minnesota | 15.80 | 15.92 | 15.46 | 15.73 | MN | 9.20 | 100 | 9.20 | 15.73 | 9.20 | -6.53 | 42% higher |
| Mississippi | 11.82 | 11.61 | 11.80 | 11.74 | MS | 13.22 | 100 | 13.22 | 11.74 | 13.22 | 1.48 | 13% lower |
| Missouri | 15.91 | 15.10 | 15.47 | 15.49 | MO | 16.12 | 100 | 16.12 | 15.49 | 16.12 | 0.63 | 4% lower |
| Nebraska | 17.16 | 17.70 | 18.08 | 17.65 | NE | 10.13 | 100 | 10.13 | 17.65 | 10.13 | -7.52 | 43% higher |
| New England | 14.30 | 13.35 | 15.02 | 14.22 | MA | 9.60 | 46 | 11.96 | 14.22 | 11.96 | -2.26 | 16% higher |
| | | | | | ME | 10.87 | 25 | | | | | |
| | | | | | NH | 9.98 | 15 | | | | | |
| | | | | | CT | 9.15 | 7 | | | | | |
| | | | | | RI | 9.79 | 7 | | | | | |
| New Mexico | 16.51 | 17.10 | 15.97 | 16.53 | NM | 10.54 | 77 | 10.64 | 16.53 | 10.64 | -5.89 | 36% higher |
| | | | | | TX | 10.96 | 23 | | | | | |
| New York | 10.24 | 9.44 | 10.06 | 9.91 | NY | 9.53 | 74 | 9.43 | 9.91 | 9.43 | -0.48 | 5% higher |
| | | | | | CT | 9.15 | 26 | | | | | |
| North Alabama | 13.63 | 14.52 | 13.89 | 14.01 | AL | 12.92 | 100 | 12.92 | 14.01 | 12.92 | -1.09 | 8% higher |
| North Carolina | 12.87 | 12.30 | 11.89 | 12.35 | NC | 11.31 | 100 | 11.31 | 12.35 | 11.31 | -1.04 | 8% higher |
| North Central NY | 13.73 | 13.13 | 13.19 | 13.35 | NY | 9.53 | 100 | 9.53 | 13.35 | 9.53 | -3.82 | 29% higher |
| North Georgia | 8.66 | 8.57 | 7.74 | 8.32 | GA | 11.64 | 100 | 11.64 | 8.32 | 11.64 | 3.32 | 40% lower |
| North Texas | 9.35 | 9.43 | 9.56 | 9.45 | TX | 10.96 | 100 | 10.96 | 9.45 | 10.96 | 1.51 | 16% lower |
| Northern Illinois | 12.18 | 12.40 | 12.73 | 12.44 | IL | 10.37 | 100 | 10.37 | 12.44 | 10.37 | -2.07 | 17% higher |
| Northwest Texas | 14.27 | 13.68 | 14.40 | 14.12 | TX | 10.96 | 100 | 10.96 | 14.12 | 10.96 | -3.16 | 22% higher |
| Oklahoma | 9.84 | 9.42 | 10.03 | 9.76 | OK | 12.81 | 100 | 12.81 | 9.76 | 12.81 | 3.05 | 31% lower |
| Oklahoma Indian | 12.16 | 11.22 | 12.46 | 11.95 | OK | see | 96 | 8.23 | 11.95 | 8.23 | -3.72 | 31% higher |
| | | | | | KS | note 4 | 4 | | | | | |
| Oregon-Idaho | 22.49 | 22.81 | 22.37 | 22.56 | OR | 10.04 | 71 | 10.07 | 22.56 | 10.07 | -12.49 | 55% higher |
| | | | | | ID | 10.13 | 29 | | | | | |
| Pacific Northwest | 15.25 | 16.85 | 16.16 | 16.09 | WA | 9.53 | 96 | 9.55 | 16.09 | 9.55 | -6.54 | 41% higher |
| | | | | | ID | 10.13 | 4 | | | | | |
| Peninsula-Del. | 14.86 | 14.15 | 14.26 | 14.42 | MD | 10.18 | 50 | 10.41 | 14.42 | 10.41 | -4.01 | 28% higher |
| | | | | | DE | 10.64 | 50 | | | | | |

| Annual Conference (AC) | 2005 | 2006 | 2007 | Three-year average | State(s) in AC | Death Rate by States 2005 | % of Mems in State | Prorated Death Rate for Pop within AC | AC Death Rate | Population within AC Death Rate | Differ. | AC DR Lower or Higher Than DR of Their Gen Pop. |
|------------------------|-------|-------|-------|--------------------|----------------|---------------------------|--------------------|---------------------------------------|---------------|---------------------------------|---------|---|
| Red Bird | 20.00 | 19.23 | 9.06 | 16.10 | KY | 12.35 | 100 | 12.35 | 16.10 | 12.35 | -3.75 | 23% higher |
| Rio Grande | 8.69 | 7.74 | 8.34 | 8.26 | TX | see | 95 | 9.34 | 8.26 | 9.34 | 1.08 | 13% lower |
| | | | | | NM | note 4 | 5 | | | | | |
| Rocky Mountain | 14.87 | 15.32 | 14.34 | 14.84 | CO | 10.01 | 86 | 10.04 | 14.84 | 10.04 | -4.80 | 32% higher |
| | | | | | WY | 10.49 | 8 | | | | | |
| | | | | | UT | 9.90 | 6 | | | | | |
| South Carolina | 13.88 | 12.97 | 12.63 | 13.16 | SC | 11.31 | 100 | 11.31 | 13.16 | 11.31 | -1.85 | 14% higher |
| South Georgia | 13.48 | 12.68 | 13.11 | 13.09 | GA | 11.64 | 100 | 11.64 | 13.09 | 11.64 | -1.45 | 11% higher |
| Southwest Texas | 12.56 | 12.22 | 12.95 | 12.58 | TX | 10.96 | 100 | 10.96 | 12.58 | 10.96 | -1.62 | 13% higher |
| Tennessee | 12.45 | 12.05 | 12.52 | 12.34 | TN | 12.40 | 100 | 12.40 | 12.34 | 12.40 | 0.06 | 0% lower |
| Texas | 10.86 | 10.20 | 10.35 | 10.47 | TX | 10.96 | 100 | 10.96 | 10.47 | 10.96 | 0.49 | 5% higher |
| Troy | 15.31 | 13.65 | 12.94 | 13.97 | NY | 9.53 | 73 | 9.65 | 13.97 | 9.65 | -4.32 | 31% higher |
| | | | | | VT | 9.98 | 27 | | | | | |
| Virginia | 12.62 | 12.50 | 12.12 | 12.41 | VA | 10.43 | 100 | 10.43 | 12.41 | 10.43 | -1.98 | 16% higher |
| West Michigan | 17.45 | 16.13 | 16.70 | 16.76 | MI | 8.09 | 100 | 8.09 | 16.76 | 8.09 | -8.67 | 52% higher |
| West Ohio | 16.61 | 16.76 | 16.03 | 16.47 | OH | 11.04 | 100 | 11.04 | 16.47 | 11.04 | -5.43 | 34% higher |
| West Virginia | 19.60 | 18.86 | 18.86 | 19.11 | WV | 12.51 | 100 | 12.51 | 19.11 | 12.51 | -6.60 | 35% higher |
| Western New York | 12.41 | 14.43 | 11.59 | 12.81 | NY | 9.53 | 100 | 9.53 | 12.81 | 9.53 | -3.28 | 26% higher |
| Western NC | 13.16 | 13.07 | 12.08 | 12.77 | NC | 11.31 | 100 | 11.31 | 12.77 | 11.31 | -1.46 | 11% higher |
| Western PA | 14.06 | 13.22 | 13.99 | 13.76 | PA | 10.50 | 100 | 10.50 | 13.76 | 10.50 | -3.26 | 24% higher |
| Wisconsin | 15.49 | 16.28 | 16.62 | 16.13 | WI | 9.97 | 100 | 9.97 | 16.13 | 9.97 | -6.16 | 38% higher |
| Wyoming | 13.75 | 12.51 | 12.53 | 12.93 | PA | 10.5 | 58 | 10.09 | 12.93 | 10.09 | -2.84 | 22% higher |
| | | | | | NY | 9.53 | 42 | | | | | |
| Yellowstone | 23.23 | 17.77 | 18.80 | 19.93 | MT | 10.48 | 85 | 10.48 | 19.93 | 10.48 | -9.45 | 47% higher |
| | | | | | WY | 10.49 | 15 | | | | | |

NOTES: 1) Age-adjusted death rates for persons 15 and older were calculated based on data from US Census Bureau, *Statistical Abstract of the US 2007*, p. 24, and the CDC/NCHS, *National Vital Statistics System, Mortality 2005* data released Jan. 23, 2008. The standard population for 2000 was used in the calculations. 2005 figures are the latest age-adjusted death rates available. The reason for using death rates only for the population age 15 or older is that the comparison being made is with UM "members" who are generally this age. 2) United Methodist death rates are calculated from data provided under arrangement with the General Council of Finance and Administration of the UMC. A three-year average of the most recent years for which figures are available (2005-2007) is used since any one year's death rate may be skewed, given the small size of some annual conferences. Using the three-year average does include two years beyond the census figures, but those years have shown a slight reduction in UM death rates. 3) Some annual conferences have one or two congregations in another state. Those states are not included in the calculations for those annual conferences. 4) For Oklahoma Indian Missionary Conference, the general population death rate was calculated using the Native American age-adjusted death rate in Oklahoma. For the Rio Grande Conference, the general population death rate was calculated using the Hispanic age-adjusted death rate in Texas.

Contributors

Lovett H. Weems, Jr., is executive director of the Lewis Center for Church Leadership of Wesley Theological Seminary in Washington, DC. Dr. Weems came as founding director of the Lewis Center in 2003 after serving eighteen years as president of Saint Paul School of Theology in Kansas City, Missouri. Previously he was a pastor in Mississippi. Email: lovettw@wesleyseminary.edu

Joseph E. Arnold is research manager of the Lewis Center for Church Leadership. A graduate of American University and Wesley Theological Seminary, he joined the Lewis Center staff in 2003. Email: jearnold@wesleyseminary.edu.

About the Lewis Center for Church Leadership

The Lewis Center for Church Leadership was established in 2003 by Wesley Theological Seminary in Washington, DC, to advance the understanding of Christian leadership and promote the effective and faithful practice of Christian leadership in the church and in society. The Center seeks to be a trusted resource for church leadership ideas, research, resources, and training so that there will be an increase in congregational and denominational service, vitality, and growth. The Center is building a new vision for church leadership grounded in faith, informed by knowledge, and exercised in effective action. It seeks a holistic understanding of Christian leadership that brings together theology and management, scholarship and practice, research and application.

Learn more about the Lewis Center for Church Leadership at www.churchleadership.com.

Subscribe to *Leading Ideas*

The Lewis Center publishes a free bi-weekly online newsletter called *Leading Ideas*. It provides thoughtful, relevant, and succinct information for church leaders. Those wishing to view or subscribe to *Leading Ideas* may go to www.churchleadership.com.



4500 Massachusetts Avenue, NW, Washington, DC 20016